



# Water Separation Technologies







Serenambiente Water filtration Solutions can provide process engineering, project management and the realization of turn-key filtration plant with Alfawater filters.

Serenambiente is a shareholder of Alfawater company.

Serenambiente Water filtration Solutions joins in partnership with some of the most important Italians companies to provide process engineering, project management and realization of turn-key water treatment plant.





## **REFERENCE REALIZED PLANTS**

CUSTOMER / END USER	COUNTRY	FILTER TYPE / TECHNICAL DATA	APPLICATION
M. S. Al-Suwaidi CO. LTD	U.A.E.	N° 12 Alfawater ROTOR filters 3600 m³/h - 500 μm	Oil&Gas industry heat exchangers protection
Qatar Petroleum	Qatar	$N^{\circ}$ 1 Alfawater Duplex BASKET filter 200 $m^3/h$ - 200 $\mu m$	Oil&Gas industry RO protection
Sicilia acque S.p.a	Italy	$N^{\circ}$ 4 Alfawater ROTOR filters 3600 $m^3/h$ - 500 $\mu m$	Sea Water Exchangers protection
Acquazzurra s.p.a	Italy	Alfawater ROTOR + BIG MATIC filters 120 $\text{m}^3/\text{h}$ - 10 $\mu\text{m}$	Sea Water High quality for fish farm
ETD s.r.l	Turkmenistan	$N^{\circ}$ 4 Alfawater ROTOR filters 1200 $m^3/h$ - 500 $\mu m$	Sea Water - Oil&Gas industry heat exchangers protection
Polimeri Europa ENI s.p.a	Italy	Alfawater ROTOR filter 3200 $\text{m}^3/\text{h}$ - 500 $\mu\text{m}$	Process water
Valsir s.p.a	Italy	$N^{\circ}$ 2 Alfawater ROTOR filters 500 $m^{3}/h$ - 120 $\mu m$	Cooling tower





CUSTOMER / END USER	COUNTRY	FILTER TYPE / TECHNICAL DATA	APPLICATION
Asco s.p.a	Venezuela	$N^{\circ}$ 12 Alfawater ROTOR filters 4000 m <sup>3</sup> /h - 120 $\mu$ m	Cooling tower
Beshay Steel	Egypt	$N^{\circ}$ 6 Alfawater ROTOR filters 900 $m^3/h$ - 53 $\mu m$	Steel industry Quenching water filtration
Acqua Latina s.p.a	Italy	Alfawater AUTOJET + BIG MATIC filters 900 $\text{m}^3/\text{h}$ - 53 $\mu\text{m}$	Municipality Waste water reuse
Geselca	Venezuela	Alfawater ROTOR + BIG MATIC filters 1000 m <sup>3</sup> /h - 53 μm	Oil&Gas industry water reuse
Pubbliacque s.p.a	Italy	N° 3 Alfawater ROTOR filters 53 μm	Municipality Water reuse
St Microelectronics	Italy	Alfawater BIG MATIC filters 120 $$ m³/h - 5 $\mu m$	Protection of Reverse Osmosis
Unifrutti	Chile	Alfawater TURBONET + BIG MATIC filters 500 $\text{m}^3/\text{h}$ - 50 $\mu\text{m}$	Food industry Water reuse
Ideal Standard	Italy	Alfawater BIG MATIC filters 120 $$ m³/h - 12 $\mu m$	Ceramic industry Water reuse





CUSTOMER / END USER	COUNTRY	FILTER TYPE / TECHNICAL DATA	APPLICATION
I.M.P.A s.r.l	Italy	Alfawater AUTOJET filter 300 m $^3$ /h - 120 $\mu$ m	Cooling water filtration
Enel S.p.A.	Italy	Alfawater BIG MATIC filters 200 $\text{m}^3/\text{h}$ - 5 $\mu\text{m}$	Protection of Reverse Osmosis
Hidroven	Venezuela	Alfawater SIMPLEX filter 1000 m $^3$ / h - 120 $\mu$ m	Protection of flow meters
Ravagnan Italy	Italy	Alfawater VORTEX + ROTOR filters 500 m <sup>3</sup> /h - 80 μm	Steel industry protection of heat exchanger
Ravagnan Italy	Italy	Alfawater SIMPLEX filter 1000 m $^3$ / h - 120 $\mu$ m	Steel industry protection of sand filters
Salini Nigeria s.p.a	Nigeria	Alfawater VORTEX + AUTOJET + BIG MATIC 250 m <sup>3</sup> /h	Potable water
Berco s.p.a	Italy	Alfawater VORTEX filters 500 m <sup>3</sup> /h	Process water





CUSTOMER / END USER	COUNTRY	FILTER TYPE / TECHNICAL DATA	APPLICATION
ESISCo	Egypt	AF n° 3 VORTEX + n° 3 ROTOR + n° 12 BIG MATIC - 286 $m^3/h$ - $5\mu m$	Steel Industry Drains Recovery System
Tehnoskop Dooel	Macedonia	Alfawater Totem ROTOR + n° 18 Sand filters + BIG MATIC BM2x840 360 m³/h - 2μm	Drinking water plant
PERTECO S.r.I.	Middle East	Alfawater VORTEX + ROTOR + $n^{\circ}$ 4 BIG MATIC - $73 \text{ m}^{3}/\text{h}$ - $12 \mu \text{m}$	Meltshop plant Drains Recovery Plant
PERTECO S.r.I.	Middle East	Alfawater VORTEX + ROTOR + n° 2 NW BAG - 18 m³/h - 25μm	Meltshop plant Raw water treatment plant
ST MICROELECTRONICS S.r.I.	Italy	$N^{\circ}$ 8 Alfawater BIG MATIC 50 $m^{3}/h$ - 12 $\mu m$	Semiconductors industry Protection of





DESCRIPTION	COUNTRY	APPLICATION
Waste water treatment plant for re-use in ceramic industry: capacity of 30 m³/h	Italy	Industrial sewage reuse
MBR Waste water treatment plant: capacity of 1200 m³/day	Italy	Civil sewage
Tap water treatment plant with Ultrafiltration System: capacity of 3-5 m <sup>3</sup> /h	Slovenia	Drinking water
MBR waste water treatment plant: capacity of 25 m³/day	Italy	Industrial Lundry
MBR waste water treatment plant: capacity of 40 m³/day	Italy	Landfill leachate
MBR waste water treatment plant: capacity of 60 m³/day (1 container solution)	Australia	Civil sewage
MBR waste water treatment plant: capacity of 200 m³/day (3 containers solution)	Australia	Civil sewage
MBR waste water treatment plant: capacity of 115 m³/day (2 containers solution)	Australia	Civil sewage





#### **PARTNERSHIP PROJECTS**

DESCRIPTION	COUNTRY	APPLICATION
Sea water treatment plant: capacity of 7200 m³/h (multimedia filtration) and 1670 m³/h (reverse osmosis)	Cyprus	Desalination
Sea water treatment plant: capacity of 400 m $^3$ /h (multimedia filtration), 150 m $^3$ /h (RO $_1$ ), 135 m $^3$ /h (RO $_2$ ) and 120-360 m $^3$ /h (polishing)	Cuba	Demineralization for power generation
Oleofilic resin plant for refinery process water: capacity of 180 m <sup>3</sup> /h	Italy	Oil recovery from condensate
Waste water treatment plant: capacity of 15 m³/h	Italy	Industrial waste water
Brackish water reverse osmosis units: capacity of 600 m <sup>3</sup> /h	Ghana	Industrial waste water
River water treatment plant: capacity of 970 m <sup>3</sup> /h	Romania	Drinkable treatment plant
Dam water treatment plant: capacity of 420 m $^3$ /h (multimedia filtration), 300 m $^3$ /h (RO $_1$ ), 220 m $^3$ /h (RO $_2$ ) and 240-480 m $^3$ /h (polishing)	Cuba	Demineralization for power generation






## **PARTNERSHIP PROJECTS**

DESCRIPTION	COUNTRY	APPLICATION
Well water treatment plant: capacity of 1100-2200 m $^3$ /h (ultrafiltration), 650 m $^3$ /h (RO $_1$ ), 450 m $^3$ /h (RO $_2$ ) and 300-900 m $^3$ /h (polishing)	Egypt	Demineralization for power generation
Well water treatment plant: capacity of 650-1300 m $^3$ /h (ultrafiltration), 300 m $^3$ /h (RO $_1$ ) and 200-600 m $^3$ /h (polishing)	Egypt	Demineralization for power generation
Sea water treatment plant: capacity of 25 m $^3$ /h (multimedia filtration), 10 m $^3$ /h (RO $_1$ ), 6 m $^3$ /h (RO $_2$ ) and 5-15 m $^3$ /h (polishing)	Cuba	Demineralization for power generation
River water treatment plant: capacity of 350 m <sup>3</sup> /h	Iraq	Drinkable treatment plant









DESCRIPTION	CAPACITY	
Customer: M. S. Al Suwaidi CO. Ltd -SAUDI		
Application: Cooling water		
Cartridge filtration	3600 m <sup>3</sup> /h	
Filtration degree	500 μm	
Number of filters	12	





DESCRIPTION	CAPACITY	
Customer: Valsir S.p.A ITALY		
Application: Cooling tower		
Cartridge filtration	500 m <sup>3</sup> /h	
Filtration degree	120 μm	
Number of filters	2	









DESCRIPTION	CAPACITY	
Customer: Ideal Standard- ITALY		
Application: Industrial water reuse		
Cartridge micro-filtration	120 m³/h	
Filtration degree	12 μm	
Number of filters	3	











DESCRIPTION	CAPACITY	
Customer: Sicilia acque S.p.AITALY		
Application: Sea Water desalination		
Cartridge filtration	3600 m <sup>3</sup> /h	
Filtration degree	500 μm	
Number of filters	4	













DESCRIPTION	CAPACITY	
Customer: ESISCo- Egypt		
Application: Steel Industry-water reuse		
Cartridge filtration	286 m³/h	
Filtration degree	5 μm	
Number of filters	3+3+12	





DESCRIPTION	CAPACITY
Customer: PERTECO Srl	
Application: Meltshop plant (Raw water)	
Cartridge and bag filtration	18 m³/h
Filtration degree	25 μm
Number of filters	1+1+2
Reverse Osmosis	17 m³/h


















DESCRIPTION	CAPACITY
Customer: PERTECO Srl	
Application: Meltshop plant (Drains Recovery)	
Cartridge and micro filtration	73 m³/h
Filtration degree	12 μm
Number of filters	1+1+4
Reverse Osmosis	54 m³/h





DESCRIPTION	CAPACITY
Customer: RAVAGNAN Italy-ITALY	
Application: Steel industry (DCC)	
Cartridge filtration	500 m <sup>3</sup> /h
Filtration degree	80 μm
Number of filters	5+5












DESCRIPTION	CAPACITY
Customer: ETD S.r.lTURKMENISTAN	
Application: Sea Water and Oil&Gas Ind.	
Cartridge filtration	1200 m <sup>3</sup> /h
Filtration degree	500 μm
Number of filters	4 (+1)









DESCRIPTION	CAPACITY
Customer: UNIFRUTTI- CILE	
Application: Food Ind Water reuse	
Cartridge filtration	500 m <sup>3</sup> /h
Filtration degree	50 μm
Number of filters	1+1







DESCRIPTION	CAPACITY
Customer: Salini Nigeria S.p.ANIGERIA	
Application: Potable water	
Cartridge filtration	250 m <sup>3</sup> /h
Filtration degree	30 μm
Number of filters	4+3+4+4









DESCRIPTION	CAPACITY
Customer: Tehnoskop Dooel-MACEDONIA	
Application: Drinking water plant	
Cartridge filtration	360 m <sup>3</sup> /h
Filtration degree	2 μm
Number of filters	1+18+16













DESCRIPTION	CAPACITY
Customer: ST MICROELECTRONICS S.r.l.	
Application: Semiconductors industry	
Cartridge filtration	50 m <sup>3</sup> /h
Filtration degree	12 μm
Number of filters	8












DESCRIPTION	CAPACITY
Customer: Emeco s.r.lITALY	
Application: MBR waste water treatment	
Membrane filtration	1200 m <sup>3</sup> /day





DESCRIPTION	CAPACITY
Customer: Provincia Autonoma di Trento	
Application: MBR waste water treatment	
Membrane filtration	40 m <sup>3</sup> /day













DESCRIPTION

CAPACITY

Customer: MBR TECHNOLOGIES Pty Ltd
AUSTRALIA

Application: MBR waste water treatment


Membrane filtration

115 m³/day























































**DESCRIPTION** 

Mechanical filtration


Ultrafiltration

**Polishing** 



#### **MOST IMPORTANT PARTNERSHIP PROJECTS**

450÷900 m<sup>3</sup>/h


































Email
info@csdservices.com.au
Website
www.csdservices.com.au
Head office
Level 10, 50 St. Georges Terrace, Perth, 6000WA

proudly Asia Pacific Partner and Distributor